

[Advertising
Information](#)

PFEIFFER VACUUM

For all your RGA and
mass spectrometer needs

Prisma QMS200 - high performance, compact RGA

[Search SPIN Web Database](#)

[What is SPIN?](#) [Journal Coverage](#)

Abstract View

[\[New Search\]](#)

Article Collection: [View Collection](#) [Help](#) (Click on the ☐ to add an article.)

[[Back To Hit List](#) | [Previous](#) / [Next](#) Document | [Issue Table of Contents](#) | [Bottom of Page](#)]

Applied Physics Letters -- October 15, 1985 -- Volume 47, Issue 8, pp. 792-793

☐ **Full Text:** [[PDF \(252 kB\)](#) [GZipped PS](#)] [Order](#)

Supersonic gas injection valve for beam neutralization from Applied-B pulsed ion diodes

K. Horioka, K. Ohbayashi, H. Yoneda, and K. Kasuya

Department of Energy Sciences, The Graduate School at Nagatsuta, Tokyo Institute of Technology, Nagatsuta 4259, Midoriku, Yokohama 227, Japan

(Received 28 May 1985; accepted 26 July 1985)

In place of conventional sonic injection gas puff valves, a supersonic gas injection nozzle has been developed to neutralize the pulsed ion beams extracted from Applied-B magnetically insulated diodes. This valve is driven by the magnetic pressure produced by the diode field coil. The features of this nozzle are its simple geometry, repetition capability, and easy timeable operation. Amounts of gas introduced in the diode section depend on the plenum pressure. Preliminary results of beam neutralization are described briefly. Applied Physics Letters is copyrighted by The American Institute of Physics.

doi:10.1063/1.95984

PACS: 47.55.Ea, 29.25.Fb, 52.40.Mj, 41.80.-y [Additional Information](#)

☐ **Full Text:** [[PDF \(252 kB\)](#) [GZipped PS](#)] [Order](#)



The American Institute of Physics is a member of CrossRef.

[[Back To Hit List](#) | [Previous](#) / [Next](#) Document | [Issue Table of Contents](#) | [Top of Page](#)]

[Advertising
Information](#)

[Spectroscopy Cryostats](#) | [ULT](#) | [Primary Metrology](#)
[Superconducting Magnets](#) | [NMR](#) | [Materials Characterization](#)



[Search SPIN Web Database](#)

[What is SPIN?](#) | [Journal Coverage](#)

Search Results

[\[New Search\]](#)

Article Collection: [View Collection](#) [Help](#) (Click on the ☐ to add an article.)

You were searching for : ((plasma (nozzle injector))) usdate <=30-dec-1998 ((antenna coil) abstract (antenna coil) title (antenna coil) keywords)

You found 20 out of 489 (20 returned)

	Score	Title	Author(s)	Citation
<input type="checkbox"/>	77%	1. The DESY RF driven H[sup -] volume source Order	J. Peters	AIP Conf. Proc. 439 , 172 (1998).
<input type="checkbox"/>	79%	2. Consequences of three-dimensional physical and electromagnetic structures on dust particle trapping in high plasma density material processing discharges PDF (456 kB) GZipped PS Order	Helen H. Hwang, Eric R. Keiter, and Mark J. Kushner	J. Vac. Sci. Technol. A 16 , 2454 (1998)
<input type="checkbox"/>	77%	3. Development of a high-current microwave ion source for Korean Multipurposed Accelerator (abstract) PDF (20 kB) GZipped PS Order	Y. S. Hwang, I. S. Hong, H. J. Kim, G. S. Eom, Y. S. Cho, and B. H. Choi	Rev. Sci. Instrum. 69 , 1015 (1998)
<input type="checkbox"/>	77%	4. Performance characterization of rf-driven multicusp ion sources PDF (56 kB) GZipped PS Order	L. T. Perkins, G. J. De Vries, P. R. Herz, W. B. Kunkel, K. N. Leung, D. S. Pickard, A. Wengrow, and M. D. Williams	Rev. Sci. Instrum. 67 , 1057 (1996)
<input type="checkbox"/>	77%	5. Radio frequency multicusp ion source development (invited) PDF (177 kB) GZipped PS Order	K. N. Leung	Rev. Sci. Instrum. 67 , 1302 (1996)
<input type="checkbox"/>	77%	6. Present status of the 2.45 GHz ECRIS for a light ion accelerator at IAP PDF (49 kB) GZipped PS Order	G. Cojocaru, D. Martin, E. Ivanov, and M. Macovei	Rev. Sci. Instrum. 67 , 1183 (1996)
<input type="checkbox"/>	79%	7. Characteristics of a nozzle--beam-type microwave radical source PDF (67 kB) GZipped PS Order	Yoshikazu Yoshida	Rev. Sci. Instrum. 67 , 1006 (1996)

<input type="checkbox"/>	77%	<u>8. Two-dimensional magnetic field evolution measurements and plasma flow speed estimates from the coaxial thruster experiment</u> PDF (2181 kB) GZipped PS Order	D. C. Black, R. M. Mayo, R. A. Gerwin, K. F. Schoenberg, J. T. Scheuer, R. P. Hoyt, and I. Henins	Phys. Plasmas 1 , 3115 (1994)
<input type="checkbox"/>	77%	<u>9. Status of the pulsed magnetic field electron cyclotron resonance ion source</u> PDF (339 kB) GZipped PS Order	C. Mühle, U. Ratzinger, W. Bleuel, G. Jöst, K. Leible, S. Schennach, and B. H. Wolf	Rev. Sci. Instrum. 65 , 1078 (1994)
<input type="checkbox"/>	77%	<u>10. Time resolved mass flow measurements for a fast gas delivery system</u> PDF (594 kB) GZipped PS Order	E. L. Ruden, J. H. Degnan, T. W. Hussey, M. C. Scott, J. D. Graham, and S. K. Coffey	Rev. Sci. Instrum. 64 , 1740 (1993)
<input type="checkbox"/>	77%	<u>11. X-ray results from a modified nozzle and double gas puff z pinch</u> PDF (334 kB) GZipped PS Order	T-F Chang, A. Fisher, and A. Van Drie	J. Appl. Phys. 69 , 3447 (1991)
<input type="checkbox"/>	77%	<u>12. Arcjet plasma plume effect on a microwave reflector antenna</u> PDF (444 kB) GZipped PS Order	B. W. Birkner, G. A. Hallock, H. Kim, and H. Ling	Rev. Sci. Instrum. 61 , 2978 (1990)
<input type="checkbox"/>	77%	<u>13. An improved gas puff design for a Z-pinch x-ray source</u> PDF (615 kB) GZipped PS Order	M. Badaye, R. Stempok, and R. P. Gupta	Rev. Sci. Instrum. 61 , 1457 (1990)
<input type="checkbox"/>	77%	<u>14. Magnetically insulated ion diode with a gas-breakdown plasma anode</u> PDF (983 kB) GZipped PS Order	J. B. Greenly, M. Ueda, G. D. Rondeau, and D. A. Hammer	J. Appl. Phys. 63 , 1872 (1988)
<input type="checkbox"/>	77%	<u>15. Generation and propagation of high-brightness electron beams from a magnetically crowbarred injector</u> PDF (1100 kB) GZipped PS Order	S. Humphries, Jr., L. K. Len, and C. B. Allen	Rev. Sci. Instrum. 58 , 796 (1987)
<input type="checkbox"/>	77%	<u>16. Self-oscillations of the ionization in a nonuniform gas jet in a microwave field. Ionization oscillator</u> Order	D. M. Karfidov, N. A. Lukina, and K. F. Sergeichev	Sov. Phys. Tech. Phys. 31 , 982 (1986)
<input type="checkbox"/>	77%	<u>17. Supersonic gas injection valve for beam neutralization from Applied-B pulsed ion diodes</u> PDF (252 kB) GZipped PS Order	K. Horioka, K. Ohbayashi, H. Yoneda, and K. Kasuya	Appl. Phys. Lett. 47 , 792 (1985)
<input type="checkbox"/>	77%	<u>18. The Doublet III Big Dee Project</u> PDF (2982 kB) GZipped PS Order	L. G. Davis and J. L. Luxon	J. Vac. Sci. Technol. A 3 , 1161 (1985)
<input type="checkbox"/>	77%	<u>19. Source plasma characteristics of the coaxial duoPIGatron ion source</u> Order	Hiroshi Horiike, Masato Akiba, Yoshihiro Arakawa, Shinzaburo Matsuda, and Junji Sakuraba	Rev. Sci. Instrum. 52 , 567 (1981)

<input type="checkbox"/>	77%	20. <u>Collisionless flow and end loss from a high-energy theta-pinch plasma</u> <u>Order</u>	K. F. McKenna, R. R. Bartsch, R. J. Commisso, C. Ekdahl, W. E. Quinn, and R. E. Siemon	Phys. Fluids 23 , 1443 (1980)
--------------------------	-----	--	--	---

Article Collection: [View Collection](#) [Help](#)

Portions of this service include technology used under license from Verity, Inc.

© 2002 American Institute of Physics



AIP Publishing Center

Suite 1NO1, 2 Huntington Quadrangle, Melville, NY 11747-4502

For technical support: email, ojshelp@aip.org;

phone, 1-800-874-6383; fax, 516-576-2604 [Privacy Policy](#)

L Number	Hits	Search Text	DB	Time stamp
	658706	((c23c016\$.ipc. or c23c014\$.ipc. or h01l021\$.ipc or c23f01\$.ipc.) or ((156/\$.CCLS. OR (118/\$.CCLS. OR (438/\$.CCLS. OR (427/\$.CCLS. OR (219/\$.CCLS. OR (315/\$.CCLS. OR (216/\$.CCLS.)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/08/27 10:52
	74	((c23c016\$.ipc. or c23c014\$.ipc. or h01l021\$.ipc or c23f01\$.ipc.) or ((156/\$.CCLS. OR (118/\$.CCLS. OR (438/\$.CCLS. OR (427/\$.CCLS. OR (219/\$.CCLS. OR (315/\$.CCLS. OR (216/\$.CCLS.))) and ((nozzle or injector) same (window and (antenna or coil)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/08/27 11:11
	575	((c23c016\$.ipc. or c23c014\$.ipc. or h01l021\$.ipc or c23f01\$.ipc.) or ((156/\$.CCLS. OR (118/\$.CCLS. OR (438/\$.CCLS. OR (427/\$.CCLS. OR (219/\$.CCLS. OR (315/\$.CCLS. OR (216/\$.CCLS.))) and ((nozzle or injector) and (window and (antenna or coil))) not (((c23c016\$.ipc. or c23c014\$.ipc. or h01l021\$.ipc or c23f01\$.ipc.) or ((156/\$.CCLS. OR (118/\$.CCLS. OR (438/\$.CCLS. OR (427/\$.CCLS. OR (219/\$.CCLS. OR (315/\$.CCLS. OR (216/\$.CCLS.))) and ((nozzle or injector) same (window and (antenna or coil))))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/08/27 12:23
	52	((c23c016\$.ipc. or c23c014\$.ipc. or h01l021\$.ipc or c23f01\$.ipc.) or ((156/\$.CCLS. OR (118/\$.CCLS. OR (438/\$.CCLS. OR (427/\$.CCLS. OR (219/\$.CCLS. OR (315/\$.CCLS. OR (216/\$.CCLS.))) and ((nozzle or injector) and (window and (antenna or coil))) not (((c23c016\$.ipc. or c23c014\$.ipc. or h01l021\$.ipc or c23f01\$.ipc.) or ((156/\$.CCLS. OR (118/\$.CCLS. OR (438/\$.CCLS. OR (427/\$.CCLS. OR (219/\$.CCLS. OR (315/\$.CCLS. OR (216/\$.CCLS.))) and ((nozzle or injector) same (window and (antenna or coil))))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/08/27 11:18
	10	(("4859493") or ("4851254") or ("4822466") or ("4816286") or ("4767608") or ("4645977") or ("3961103") or ("3705937") or ("3630679") or ("3005762")).PN.	USPAT	2002/08/27 11:21
	523	((c23c016\$.ipc. or c23c014\$.ipc. or h01l021\$.ipc or c23f01\$.ipc.) or ((156/\$.CCLS. OR (118/\$.CCLS. OR (438/\$.CCLS. OR (427/\$.CCLS. OR (219/\$.CCLS. OR (315/\$.CCLS. OR (216/\$.CCLS.))) and ((nozzle or injector) and (window and (antenna or coil))) not (((c23c016\$.ipc. or c23c014\$.ipc. or h01l021\$.ipc or c23f01\$.ipc.) or ((156/\$.CCLS. OR (118/\$.CCLS. OR (438/\$.CCLS. OR (427/\$.CCLS. OR (219/\$.CCLS. OR (315/\$.CCLS. OR (216/\$.CCLS.))) and ((nozzle or injector) same (window and (antenna or coil))))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/08/27 11:21
	369	((c23c016\$.ipc. or c23c014\$.ipc. or h01l021\$.ipc or c23f01\$.ipc.) or ((156/\$.CCLS. OR (118/\$.CCLS. OR (438/\$.CCLS. OR (427/\$.CCLS. OR (219/\$.CCLS. OR (315/\$.CCLS. OR (216/\$.CCLS.))) and ((nozzle or injector) and (window and (antenna or coil))) not (((c23c016\$.ipc. or c23c014\$.ipc. or h01l021\$.ipc or c23f01\$.ipc.) or ((156/\$.CCLS. OR (118/\$.CCLS. OR (438/\$.CCLS. OR (427/\$.CCLS. OR (219/\$.CCLS. OR (315/\$.CCLS. OR (216/\$.CCLS.))) and ((nozzle or injector) same (window and (antenna or coil))))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/08/27 11:29

Updated Search 2/19/03
Updated Search 7/00/03

2811589

1998	(((c23c016\$.ipc. or c23c014\$.ipc. or h01l021\$.ipc or c23f01\$.ipc.) or ((156/\$.OCLS. OR (118/\$.OCLS. OR (438/\$.OCLS. OR (427/\$.OCLS. OR (219/\$.OCLS. OR (315/\$.OCLS. OR (216/\$.OCLS.))) and ((nozzle or injector) same plasma) not (((c23c016\$.ipc. or c23c014\$.ipc. or h01l021\$.ipc or c23f01\$.ipc.) or ((156/\$.OCLS. OR (118/\$.OCLS. OR (438/\$.OCLS. OR (427/\$.OCLS. OR (219/\$.OCLS. OR (315/\$.OCLS. OR (216/\$.OCLS.))) and ((nozzle or injector) same (window and (antenna or coil)))) or (((c23c016\$.ipc. or c23c014\$.ipc. or h01l021\$.ipc or c23f01\$.ipc.) or ((156/\$.OCLS. OR (118/\$.OCLS. OR (438/\$.OCLS. OR (427/\$.OCLS. OR (219/\$.OCLS. OR (315/\$.OCLS. OR (216/\$.OCLS.))) and ((nozzle or injector) and (window and (antenna or coil))) not (((c23c016\$.ipc. or c23c014\$.ipc. or h01l021\$.ipc or c23f01\$.ipc.) or ((156/\$.OCLS. OR (118/\$.OCLS. OR (438/\$.OCLS. OR (427/\$.OCLS. OR (219/\$.OCLS. OR (315/\$.OCLS. OR (216/\$.OCLS.))) and ((nozzle or injector) same (window and (antenna or coil)))))) and (chamber or reactor or vessel)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/08/27 12:27
188	(((c23c016\$.ipc. or c23c014\$.ipc. or h01l021\$.ipc or c23f01\$.ipc.) or ((156/\$.OCLS. OR (118/\$.OCLS. OR (438/\$.OCLS. OR (427/\$.OCLS. OR (219/\$.OCLS. OR (315/\$.OCLS. OR (216/\$.OCLS.))) and ((nozzle or injector) same plasma) not (((c23c016\$.ipc. or c23c014\$.ipc. or h01l021\$.ipc or c23f01\$.ipc.) or ((156/\$.OCLS. OR (118/\$.OCLS. OR (438/\$.OCLS. OR (427/\$.OCLS. OR (219/\$.OCLS. OR (315/\$.OCLS. OR (216/\$.OCLS.))) and ((nozzle or injector) same (window and (antenna or coil)))) or (((c23c016\$.ipc. or c23c014\$.ipc. or h01l021\$.ipc or c23f01\$.ipc.) or ((156/\$.OCLS. OR (118/\$.OCLS. OR (438/\$.OCLS. OR (427/\$.OCLS. OR (219/\$.OCLS. OR (315/\$.OCLS. OR (216/\$.OCLS.))) and ((nozzle or injector) and (window and (antenna or coil))) not (((c23c016\$.ipc. or c23c014\$.ipc. or h01l021\$.ipc or c23f01\$.ipc.) or ((156/\$.OCLS. OR (118/\$.OCLS. OR (438/\$.OCLS. OR (427/\$.OCLS. OR (219/\$.OCLS. OR (315/\$.OCLS. OR (216/\$.OCLS.))) and ((nozzle or injector) same (window and (antenna or coil)))))) and (chamber or reactor or vessel)) and window	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/08/27 12:27